



Custom Aluminium Profile System For Led Lighting / LED Cover / LED profile

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: Hentec
- Certification: SGS
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



Product Specification

- Product Name: Industrial Aluminium Profile
- Alloy: 6063,6061,6005
- Surface Treatment: Mill Finished,Anodized ,Electrophoretic Coated,Powder Spray Coated
- Deep Process: Cutting
- Temper: T5, T6
- Usage: Led Lighting
- Highlight: **aluminum extrusion profiles,**
aluminium extruded profiles

Product Description

Led Industrial Alminum Proile / For Led Lighting / LED Cover / LED profile

Specification :

Item NO.	HT
Size	35mm*35mm
Length	1m, 2m, 3m, 4m
Customized Length	Available
PCB Width Inside	≤30mm
PC Cover	Clear/Opal/Semi-clear
Finished	Anodized
Material	6063 T3-T8 aluminum alloy
End Caps	2 End caps, one with wire hole, one without
Brackets	2 pieces
Installation	Surface/Suspended
Lead Time	7-10 days
Package	8mm Thick Carton Packaging

Order,payment,terms,shipment

- 1, Minimum order: 500kg per trial order 1 piece of sample free of charge provided by approval and kept for future mass production.
- 2, Sample Lead Time: 25 working days(15 days for making the tool and 10 days making the samples. Before sending the samples to customer, samples should pass strict test in our lab.) Production Lead time: it depends on customers' order quantity (30 working days after deposit).
- 3, Payment: (Can negotiate with customers, our usual practices are as follow)
- 4, Tooling:100% prepaid by T/T.
- 5, Parts:30% upon order confirmation and balance before delivery by T/T

Applications:Applications

- 1) Architectural decorative lighting
- 2) Archway, canopy and bridge edge lighting
- 3) Amusement park, theater and aircraft cabin mood lighting
- 4) Emergency hallway lighting
- 5) Auditorium walkway lighting
- 6) Stairway accent lighting
- 7) Concealed lighting
- 8) Backlighting for signage letters
- 9) Channel letter lighting
- 10) Emergency exit path lighting
- 11) Cove lighting
- 12) Edge-lit acrylic panel lighting

Competitive Advantage:

1. good quality aluminium profile with economic price
2. 15-year manufacturing experience
3. ISO9000
4. ODM or OEM



FAQ For Saving Your Precious Time!

Q1:What's the thickness for anodizing?Can you do 15um?

A:Our normal thickness is about 10 um.Yes, we can do 15um and above.

Q2:What color you can do for powder coating?The thickness for powder coat?

A:We can do any color for powder coat as long as you can provide the color sample.Our normally powder coating thickness is 60-80um.

Q3:What color you can do for wood grain?

A:Our most popular colors are Western Red Cedar, Australia Cedar, Jarrah I, Jarrah II, Chestnut, Bush Cherry, Bush Wood, Western Wood, Snow Gum, etc.If you need any other colors, we can do according to the color samples you provide.

Q4:How's the weather resistance for wood grain finish D1010?

A:(1).Powder: Akzo Noble Interpon D1010.

(2).Wood grain film:Italian Memphis.

(3).Standard complied:American AAMA Standard.2603

(4).UV test:1000 hours.

(5).Salt spraying test:1000 hours.

(6).Normal weather:10 years color guarantee.

Q5:What certification do you have?What's your standard?

A:We have ISO certification.Our standard is DIN, AAMA, AS/NZS, China GB.

Q6:What's the delivery time for samples and mass production?

A:(1).2-3 weeks to make the new moulds and make free samples.

(2).3-4 weeks after receipt of deposit and confirmation of the order.