



Custom Industrial Aluminium Profile With Drill And Section , Heat Exchange Cover

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: Hentec
- Certification: SGS
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



Product Specification

- Product Name: Industrial Aluminium Profile
- Alloy: 6063,6061,6005
- Material: Aluminum
- Surface Treatment: Mill Finished,Anodized ,Electrophoretic Coated,Powder Spray Coated
- Deep Process: Milling, Drilling, Bending,Cutting
- Temper: T4, T5, T6 ,T66
- Highlight: **aluminum extrusion profiles, aluminium extruded profiles**

Product Description

Custom Industrial Aluminium Profile With Drill And Section , Heat Exchange Cover

Product Description:

Material	6000 series Aluminium
Temper	T5, T6
Size / Thickness	General profiles thickness from 0.8 to 5.0mm, length from 3m-6m or customized available; Anodize protection film thickness from 8~25 um, powder coating from 40 ~ 120 um.
Shape	square, round, rectangular, special shape customized
Application	In furniture, windows&doors, decorations ,industry, construction and so on - for Window and door frames - for LED lighting Frame - for Building curtain glass walls - for Motor Shell - for Hook of LED Stage lighting - for Industry assembly lines equipment. - for Heat sinks(such as: LED lighting, Car Audio Shell, High-power LED Street lighting, LED tunnel lighting and so on.) - other by custom design size and dimension
Surface treatment	powder coating, electrophoresis, wood grain , anodized Fluorocarbon Spraying, Sand blast, Polished, Brushed and so on
Colors	Ref: powder coating color sheet and customized color available
Deep process	CNC, drilling, milling, cuttin,punching, bending, assembling
MOQ	1000 kgs for each item, usually 13-15 tons for a 20GP, 25-28 tons for a 40HQ.
Packing Details	(1)Inside : packed with plastic protective film to protect each piece (2) Outside: Wrap to be bundles by waterproof craft paper
Delivery time	(1)Die Developing and Sample testing: 12-18 days . (2) Mass Production completed: 20-30days after sample is confirmed by Buyer.
FOB Port	Shanghai
payment terms	T/T 30% for deposit, balance before shipping.
settlement term	Charge by final actual weight or by drawing theoretical weight.
production capacity	80000 tons annually.
Certificate and Standard	SGS, ISO available GB5237-2008 equal to EN12020-1.2 (2001)

Applications:

Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

Competitive Advantage:

- 1.good quality aluminium profile with economic price
- 2.15-year manufacturing experience
- 3.ISO9000
- 4.ODM or OEM

FAQ For Saving Your Precious Time!

Q1:What's the thickness for anodizing?Can you do 15um?

A:Our normal thickness is about 10 um.Yes, we can do 15um and above.

Q2:What color you can do for powder coating?The thickness for powder coat?

A:We can do any color for powder coat as long as you can provide the color sample.Our normally powder coating thickness is 60-80um.

Q3:What color you can do for wood grain?

A:Our most popular colors are Western Red Cedar, Australia Cedar, Jarrah I, Jarrah II, Chestnut, Bush Cherry, Bush Wood, Western Wood, Snow Gum, etc.If you need any other colors, we can do according to the color samples you provide.

Q4:How's the weather resistance for wood grain finish D1010?

A:(1).Powder: Akzo Noble Interpon D1010.

(2).Wood grain film: Italian Memphis.

(3).Standard complied: American AAMA Standard.2603

(4).UV test:1000 hours.

(5).Salt spraying test:1000 hours.

(6).Normal weather:10 years color guarantee.

Q5:What certification do you have?What's your standard?

A:We have ISO certification.Our standard is DIN, AAMA, AS/NZS, China GB.

Q6:What's the delivery time for samples and mass production?


A:(1).2-3 weeks to make the new moulds and make free samples.

(2).3-4 weeks after receipt of deposit and confirmation of the order.



 **HENTEC** Hentec Industry Co.,Ltd

 +86-13861643436

 aluminum@hentec.com.cn

 aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421