Powder Painted Aluminum Window Extrusion Profiles For Sliding Window With 6063 T5

Basic Information

. Place of Origin: China **HENTEC** . Brand Name: CA,CE · Certification: Minimum Order Quantity: 1 ton

 Packaging Details: EP Paper ,kraft and pallet

Hentec Industry Co.,Ltd aluminumextrusion-profiles.com

Delivery Time: 20days T/T or L/C • Payment Terms:

• Supply Ability: 100 000 ton each month



Product Specification

Material: Aluminum Alloy

• Temper: T5 / T6

6063 / 6061 / 6060 Alloy: Powder Painted Surface: · Color: Customerized Silk Screen Logo:

Highlight: extruded aluminium profiles,

profile aluminum extrusions



Product Description

Powder Painted Aluminum Window Extrusion Profiles for Sliding Window with 6063 T5

Descrition:

Type Option: Sliding, Casement, Fixed, Arch, Tilt & Turn, Awning, Folding, Louver, Circle and etc

Color: As your request (Usually white color)

Size: As your request

Frame Material: China brand Aluminum profile with more than 1.4mm thickness for window and 2.0mm thickness for door

Aluminum Option: Normal aluminum profile, Thermal-Break aluminum profile

Glass Option: Clear glass, Laminated glass, Tinted glass, Low-E glass, Frosted glass, all tempered glass

Single layer glass: 4mm, 5mm, 6mm, 8mm, 10mm, 12mm and etc Double layer glass: 5+9A+5mm, 5+12A+5mm, 6+12A+6mm and etc

Triple glass: 6+9A+6+9A+6mm and etc

Opening Method: Inwards or Outwards, right or left hand opening as your request

Mosquito Screen: Metal and Nylon material for option


Roller shutter: Optional

Surface Treatment: Powder coating, anodizing, electrophoresis coating

Description	Powder Painted Aluminum Window Extrusion Profiles for Sliding Window with 6063 T5
Material Thickness(t)	t=1.0 / 1.2 / 1.4
Material	Aluminum Alloy 6063, 6061
Annealing Treatment	T5,T6
Color	Green, Grey, Black, White, (RAL series)etc.
Surface Treatment	Mill finish, anodized, powder coated, electrophoresis, sand balsting etc.and depend on customer's demand.
Shape	Square, Round, Flat, Oval, and according to customer's drawing.
Length	Normal length=6m or in customer's order
Usage	Building, Production Line, Decoration, Industrial, Transportation, Door and window, etc.
Package	Pearl cotton foam for each aluminum profile; Wrap with shrink film exterior; Packed according to customer request.
Advantages/Features	Providing colorful products with various mechanical performances to adapt all kinds of architectural styles

Window and Door's Design


We can DIY any type of aluminium windows and doors as your request, and our popular types are as below:



Competitive Advantage:

- Top Aluminium profile manufacturer for more than 10 years in China.
 Diverse Products used in the fields of construction, industry and deep-processing.
- 3. Quality Control is put in the core position of our production.
- 4. Customized Production shows our capability in product design and process control.
- 5. Perfect Customer Services include careful packaging, quick delivery and good after-sale service.





⇒HENTEC Hentec Industry Co.,Ltd

+86-13861643436

aluminum@hentec.com.cn aluminumextrusion-profiles.com



Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421