



## Aluminum Solar Roof Mounting Kits End Clamp For Solar Mounting System

Our Product Introduction

for more products please visit us on [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)


### Basic Information

- Place of Origin: China
- Brand Name: HENTEC
- Certification: CA , CE
- Model Number: HENTEC Rail
- Minimum Order Quantity: 1000pcs
- Packaging Details: Carton and pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000pcs per month



### Product Specification

- Material: Aluminum
- Surface: Mill Finished , Anodized
- Alloy: 6063 , 6061 ,6005
- Application: Solar Mounting System
- Temper: T5 , T6, T66
- Product Name: Clamp
- Highlight: solar roof mounting kits,  
aluminum frames for solar panels



## Product Description

### Aluminum Solar Roof Mounting Systems , End Clamp for Solar Mounting System

1. Enables easy, fast and cost-effective installation.
2. Flexible post spacing withstands different wind & snow loads.
3. High quality material in Aluminum and SUS 304.
4. Highly corrosion resistant surface treatment.
5. Screws and nuts go with every component needed.
6. Fasteners and rail nut fully configured to save extra parts purchasing.
7. Mechanical calculation and reliability tested to ensure high set product quality.
8. 12-25 years system and structural guarantee.

#### Description:

- 1) Material: Alloy 6063, 6061 or according to customer's choice  
Temper: T4, T5, T6, T66
- 2) The solar roof mounting end clamp is easy to install.
- 3) Warranty: 10 years
- 4) Standard compliance: AS/NZS 1170 and other international standards.
- 5) Certification: ISO9001
- 6) Fabrication: 1. Milling; 2. Drilling; 3. Bending; 4. Cutting...
- 7) Accessories: Using EPDM leather strap that would not age for a long time with a long service life, EPDM Strap was stitched by ECO-Friendly 3M adhesive tape.
- 8) OEM service offered

#### Specification:


Type:	Aluminum Solar Roof Mounting Systems
Installation site:	According to Roof Type
Material:	Aluminum 6063 T3-T5; Steel
Fasten material:	Aluminum
Survival Wind Speed:	< 60m/s
Design Snow load:	Up to 1.4KN/ Square meters
Solar panel type:	Framed or Frameless
Panel Orientation:	Transverse or vertical
Design Standard:	CE; ISO9001
Quality warranty:	12-25 years
Duration:	More than 20 years
Delivery time:	7-15 days
Package:	Standard Packing





 +86-13861643436

 [aluminum@hentec.com.cn](mailto:aluminum@hentec.com.cn)

 [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421