



## Black Anodized Aluminium Extrusionsprofile Enclosures For Electrical Prototype

Our Product Introduction

for more products please visit us on [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)

### Basic Information

- Place of Origin: China
- Brand Name: Hentec Kuntai
- Certification: SGS
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month





### Product Specification

- Product Name: Aluminium Profile
- Alloy: 6063,6061
- Material: Aluminum
- Surface: Mill Finished,Anodizing , Powder Painting
- Deep Process: Milling, Drilling, Bending,Cutting
- Temper: T4, T5, T6
- Highlight: **aluminium door frame,  
aluminium extruded profiles**





## Product Description

### Black Anodized Industrial Aluminium Profile / Enclosures For Electrical Prototype

Hentec Industry Co.,Ltd is located in WUXI City, the famous manufacturing center of aluminum profiles in China. Our aluminium profiles are exported to many countries: Nigeria, South Africa, Ghana, Israel, Jordan, Libye, Syria, Ecuador, Colombia, Chile, UK, Germany and so on. The annual sales is more than USD25,000,000.

We offer our aluminium profiles in several types of surface finishing including anodized, powder coated, wood coated, electrophoresis and so on.

We are looking forward to building long-term and mutually beneficial business relations with global customers

#### Products description :

1	business type	Manufacturer
2	Standard:	GB 5237-2008; EN755,etc
3	Product series:	Aluminium profile for building material and industrial materail
4	Price:	Based on Nanhai Aluminium Ingot price + processing Fee
5	Payment term:	T/T, L/C at sight
6	Surface treatment:	Mill finish, Anodizing, Powder coating, electrophoresis, wooden finish
specification:		
7	Alloy:	6063 6061
8	state:	T4/ T5/T6
9	length:	1m-7m, generally 5.85m for container
10	Normal Anodizing thickness:	AVERAGE >10 micro,
11	Normal powder coating thickness:	>40micro
12	thickness:	0.6mm,0.8mm,1.0mm,1.2mm,1.4mm,2.0mm,3.0mm,etc

#### Order,payment,terms,shipment

- 1, Minimum order: 500kg per trial order 1 piece of sample free of charge provided by approval and kept for future mass production.
- 2, Sample Lead Time: 25 working days(15 days for making the tool and 10 days making the samples. Before sending the samples to customer, samples should pass strict test in our lab. )Production Lead time: it depends on customers' order quantity ( 30 working days after deposit).
- 3, Payment: (Can negotiate with customers, our usual practices are as follow)
- 4, Tooling:100% prepaid by T/T.
- 5, Parts:30% upon order confirmation and balance before delivery by T/T

#### Applications:

Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

#### Competitive Advantage:

- 1.good quality aluminium profile with economic price
- 2.15-year manufacturing experience
- 3.ISO9000
- 4.ODM or OEM



#### FAQ For Saving Your Precious Time!

Q1:What's the thickness for anodizing?Can you do 15um?

A:Our normal thickness is about 10 um.Yes, we can do 15um and above.

Q2:What color you can do for powder coating?The thickness for powder coat?

A:We can do any color for powder coat as long as you can provide the color sample.Our normally powder coating thickness is 60-80um.

Q3:What color you can do for wood grain?

A:Our most popular colors are Western Red Cedar, Australia Cedar, Jarrah I, Jarrah II, Chestnut, Bush Cherry, Bush Wood, Western Wood, Snow Gum, etc.If you need any other colors, we can do according to the color samples you provide.

Q4:How's the weather resistance for wood grain finish D1010?

A:(1).Powder:Akzo Noble Interpon D1010.

(2).Wood grain film:Italian Memphis.

(3).Standard complied:American AAMA Standard.2603

(4).UV test:1000 hours.

(5).Salt spraying test:1000 hours.

(6).Normal weather:10 years color guarantee.

Q5:What certification do you have?What's your standard?

A:We have ISO certification.Our standard is DIN, AAMA, AS/NZS, China GB.

Q6:What's the delivery time for samples and mass production?

A:(1).2-3 weeks to make the new moulds and make free samples.

(2).3-4 weeks after receipt of deposit and confirmation of the order.



+86-13861643436

aluminum@hentec.com.cn

aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421