




Customized Aluminum Extruded Heat Sink Profiles For For High Power Led Lamp

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: HENTEC
- Certification: CA ,CE
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



Product Specification

- Product Name: Aluminum Heatsink Extrusion Profiles
- Alloy: 6063,6061,6005
- Material: Aluminium
- Surface Treatment: Anodized ,Electrophoretic Coated,Powder Spray Coated
- Deep Process: Milling, Drilling, Bending,Cutting
- Temper: T5, T6 ,T66
- Highlight: **heatsink extrusion profiles, aluminium heatsink extrusion**



Product Description

Customized Extruded Aluminum Heat sink Profiles For High Power Led Light

Aluminum profile
1. Material: Aluminum alloy 6063 or 6061
2. Dimensions and tolerances: Follow your request. Various shapes
3. Surface treatment: Mill finish, anodized electrophoresis, powder coating, silver matt and sand blasting are available.
4. Deep process: Cutting, milling, drilling, punching, CNC machine.
5. Characteristic: Lightness smooth elegant appearance
6. Color: Self color or silver (colors sample to choose)
7. Origin: China
8. Grade: 6063 or other commonly used materials
9. Status: T4 T5 T6

Our Advantages:

- 1) More than 35 sets of production lines for casting, extrusion, anodizing, powder coating, thermal break, electrophoresis, PVDF, deep processing, etc.
- 2) Strict quality assurance and inspection measures will never let any imperfect products be out of our company.
- 3) Enjoy a good reputation among overseas markets.
- 4) Strong R&D team and over 130 national patents.
- 5) 17 years OEM ODM factory experience;
- 6) Made in China gold and audited supplier ;
- 7) Customers can easily reach us rapidly(24*7 Hours Available);
- 8) Small order is accepted

Applications:

Aluminum heat sink is widely used on Machines , cars , lighter ...

Specifications:

1. Primary Technical Data

1) Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

Competitive Advantage:

We can offer professional Manufacturing and exporting service, OEM/ODM for Metal & Plastic parts in China. All the parts manufactured by CNC Lathe & Milling Machine Center.



Tag :

LED Aluminum Heat Sink

extruded aluminum heat sink

HENTEC Hentec Industry Co.,Ltd

+86-13861643436

aluminum@hentec.com.cn

aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421