



Industrial Aluminium Profile System T Slotted Framing For Workbench / Working Table

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: Hentec
- Certification: SGS
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 5 000 ton each month

 HENTEC



Product Specification

- Product Name: Industrial Aluminium Profile
- Alloy: 6061,6005
- Material: Aluminum
- Surface Treatment: Electrophoretic Coated,Powder Spray Coated
- Deep Process: Bending,Cutting
- Temper: T6 ,T66
- Highlight: **modular aluminium profile system,
aluminium extrusion frame system**

Product Description







Anodized Industrial Aluminium Assembly Line / Aluminum T Slot Profile For Workbench / Assembly Line / Working Table





Product Details

Product Name	Aluminum T Slot Profile For Workbench / Assembly Line / Working Table
Profile Material	6063 aluminium alloy
Temper	T5
Surface treatment	Mill finish, powder coating, anodizing, wooden grain coating, polishing, eletrophoresis, PVDF, sanding blasting, etc.
The option of Profile	15/20/30/40/60/80/90/100 series etc.
Slot width	6MM,8MM,10MM
Color	Natural silver anodised, can be customised.
Surface	Mill finish, Anodizeding, Sand Blasting, Powder coating, etc.
Deep processing	Cutting, Drilling, Treading, Bending, etc.
Application	Building, Industry, Machinery
Certification	ISO9001
OEM & ODM	Acceptable

Surface treatment

Surface treatment	Mill-finish,Anodized,Powder coated,Electropheresis,Wood grain,Brushed, Polishing
Anodized thickness	8 - 25um
Anodized Color	Silver,black,chanpagne,bronze,gold or customized
Electropheresis Color	Silver,black,chanpagne,bronze,gold or customized
Powder coated Color	All color by RAL ,or customer's color sample
Powder coated thickness	40 - 120um
Wood grain	customized
Guarantee	surface Brightly can be stable for 10 - 20years

Drawing no	Drawing	SMM kg/m
HT-745		1.292
HT-746		0.786
HT-747		2.524
HT-749		0.464
HT-750		0.808
HT-751		1.616

Drawing no	Drawing	SMM kg/m
HT-752		1.646
HT-753		2.952
HT-754		2.015
HT-767		1.522

Applications:


Mainly used for industrial production , such as automation equipment , enclosure of the skeleton and the companies according to their own customized mold machinery and equipment , such as assembly line conveyor , hoist, dispenser, testing equipment, shelves , etc., electronic machinery industries and clean room with a gain majority.


Competitive Advantage:


1. Saving mould cost and shorten production time;
2. Shorting design and assembling time;
3. Associated accessories are available as well to save your time to resource it;
4. Controlling cost and providing more efficient working project;
5. Improving your systems and space management with our professional technical team.



 **HENTEC** Hentec Industry Co.,Ltd

 +86-13861643436

 aluminum@hentec.com.cn

 aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421