



## 6063- T5 Industrial Fan Blade With Anodizing / Powder Painting Surface

Our Product Introduction

for more products please visit us on [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)


### Basic Information

- Place of Origin: China
- Brand Name: HENTEC
- Certification: CA ,CE
- Minimum Order Quantity: 500set
- Packaging Details: Ep paper , pallet or wooden case
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000sets each month



### Product Specification

- Product Name: Fan Blade
- Item: Aluminum Extrusion Profile Of Industrial Fan Blade
- Temper: T5, T6
- Surface: Powder Painting
- Material: Aluminium
- Machining: 1. Milling; 2. Drilling; 3. Cutting
- Highlight: **exhaust fan blades, palm frond fan blades**



## Product Description

### 6063-T5 Industrial Fan Blade Anodizing / Powder Painting Surface

Hentec Industry Co., Ltd professional at aluminum extrusion profiles, both semi and final products, such as Aluminum fan blade , LED aluminum bracket, aluminum door, aluminum window, aluminum curtain rod, aluminum guide rail, aluminum fencing and all kinds of industrial and building aluminum profile, square, round, flat, oval, angle, irregular and all types according to the customers' drawing.

Item	<b>Aluminium Extrusion Profiles</b>
Material	6000 series Aluminium T4, T5, T6
Size / Thickness	1.General profiles thickness from 0.8 to 5.0mm, length from 3m-6m or customized available 2.Anodize protection film thickness from 8~25 um 3.Powder coating from 40 ~ 120 um.
Shape	square, round, t shaped, rectangular, customized
Surface treatment	Mill finish,Anodizing,electrophoresis,powder coating,PVDF coating, wood transfer,polishing,brushing etc.
Colors	silver , black , blue, wood color , RAL powder coating color and so on
MOQ	500kgs for each item
FOB Port	Shanghai
payment terms	T/T 30% for deposit, balance before shipping.
settlement term	Charge by final actual weight or by drawing theoretical weight.
Packing and shipment	
Packing	1.Plastic film& kraft paper packing. 2.Plastic bag packing. 3.Carton packing\$ plywood. 4.Plastic film\$ pallet.
shipment	1.By Sea 2.By Air

#### Specifications:

##### 1. Primary Technical Data

###### 1) Chemical composition

###### 2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

##### 3. Surface Treatment of Sections

(Class)	(μm),not diminish than		acid-resistant			abrasion resistance
	(Min-average film thickness)	(Min-part film thickness)	CASS		(S)	(f, g /μm)
			(h)	Class		
AA10	10	8	16	≥9	≥50	≥300
AA15	15	12	32	≥9	≥75	≥300
AA20	20	16	56	≥9	≥100	≥300
AA25	25	20	72	≥9	≥125	≥300

#### Competitive Advantage:

- 1.High hardness, hard aluminum series.
- 2.Fair corrosion resistance. Heat treatable
- 3.Good workability. Good appearance
- 4.High quality and reasonable price.
- 5.Our product is your best choice.



Our product have been exported to Europe, South Africa, Algeria, Angola, Chile, Egypt, Ethiopia, Ghana, Libya, Nepal, Nigeria, Philippines, Thailand, Tanzania, South Africa, etc. There are ready moulds for aboved countries, and easy for clients to placed order. On the other hand, you can send us your sample or drawing, we will surely make exactly what you want after discussing with each other.

Our performance is better than the ordinary ones. Excellent metal colors and strong endurance, good performance in heat-resistance, radio resistance, anti-corrosion and anti-cyclone, etc.

Our factory focus on making quality aluminum profiles and considerate service for each client. We will be your another best choice in life and hope you will never stop enjoying the benefits.


**Tag :**

**metal fan blades**

,Aluminum fan blades

**axial fan blade**

 **HENTEC** Hentec Industry Co.,Ltd

 +86-13861643436

 [aluminum@hentec.com.cn](mailto:aluminum@hentec.com.cn)

 [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421