Basic Information

Place of Origin: ChinaBrand Name: HENTEC

• Certification: CA ,CE ,ISO14001:2004, ISO9001:2000

• Minimum Order Quantity: 1 ton

Packaging Details: Ep paper ,kraft ,pallet

Delivery Time: 20daysPayment Terms: T/T ,L/C

• Supply Ability: 100 000ton each month

HENTEC



Product Specification

Product Name: Industrial Aluminium Profile

Alloy: 6063Material: Aluminum

• Suface Treatment: Fluorocarbon Powder Spray Coated /PVDF

Paint, Drawbench, Steel Polished

• Deep Process: Milling, Drilling, Bending, Cutting

• Temper: T4, T5, T6

• Highlight: modular aluminium profile system,

aluminium extrusion frame system

HENTEC



Our Product Introduction

Product Description

6061 / 6063 Extruded Aluminum System Assembly Production Line For Industry

Item	t Slot Aluminum Profile			
Material	6000 series Aluminium T4, T5, T6			
Series	20,30,40,45,50,60,80			
Accessories	Available			
Shape	t shaped			
Surface treatment Mill finish, Anodizing, powder coating				
Colors	silver, black, blue, RAL powder coating color and so on			
Fabrication	Cutting, drilling, tapping, counter-sinking, bending, etc			
MOQ	500kg for each item			
FOB Port	Shanghai			
payment terms	T/T 30% for deposit, balance before shipping.			
settlement term	term Charge by final actual weight or by drawing theoretical weight.			



Description:

- 1. Description:6061-T6 Industrial Aluminium Profile System Assembly Production Line for Industry
- 2. Alloy temper: 6060/6063-T6/T5;
- 3. Standard: EN755, ASTMB221, DIN Standard
- 4. Surface treatment: Mill finishes; Anodized; Powder coated, wooden grain, polished, brushed.
- 5. Application: Assembly Production Line
- 6. Advantage:
- 1) Pure 99.7% aluminum materials without any scrap used
- 2) OEM welcome, we can design and cut die to meet customer's special demand
- 3) Wonderful surface treatment, we can meet customers required on surface
- 4) Strictly quality control process assured higher quality.
- 5) Packing safety and convenient.

Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed. In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.



Specifications:

1.Primary Technical Data

1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2)Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	Т6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	Т6	≥ 265Mpa	≥ 245Mpa	≥ 8%

公司图号	黄芪	线密度 kg/m
HT-745	10.2	1.292
HT-746	30	0.786
HT-747	50	2.524
HT-749	20 22	0.464
HT-750	7.2 40 6.2	0.808
HT-751	60 57 8.2 10.4	1.616

公司图号	# #	我密度 kg/m
HT-752	40	1.646
HT-753	80 8.2 10.2	2.952
HT-754	45 2 0 5 2 0 5 3 8.2	2.015
HT-767	25 25 25 25 25 25 25 25 25 25 25 25 25 2	1.522



⇒HENTEC Hentec Industry Co.,Ltd







• +86-13861643436 aluminum@hentec.com.cn aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421