Audio Amplifier Housing Shell OEM Extruded Aluminum Enclosure Box

Basic Information

. Place of Origin: China • Brand Name: Hentec • Minimum Order Quantity: 500kg

· Packaging Details: wooden case, carton • Delivery Time: 10-20workdays



Product Specification

Material: Aluminum · Color:

Powder Painted Surface:

OEM • Logal Printing: • Type: Box Waterproof: Waterproof

• Highlight: **OEM** extruded aluminum enclosure box,

OEM aluminum extrusion enclosure, 6005 extruded aluminum enclosure box



Product Description

Extruded Aluminum Enclosure / Aluminum Audio Amplifier Housing Shell

Hentec Industry Co.,Ltd ,established in 2005,locates in Jiangyin " China Aluminum Industrial City". over past 17 years, professional manufacturing of aluminum enclosure in China.

Advantages:

- 1. Professional research and design team (25 persons), all necessary equipment.
- 2. Good heat dissipation and excellent electromagnetic shielding performance.
- 3. Strict quality control in each process and finish product quality control.
- 4. Comprehensive after-sale service, quick responses for daily communication



Description:

- 1. Various sections for the industrial application--heat radiators, flow line, elevators, textile industry, solar energy, vehicle lamps, medical treatment, shipbuilding industry, etc
- 2. Raw materials vary from pure aluminum to alloy duralumin,
- 3. Material Type: 6063A, 6063, 6061,6060,6005, etc;
- **4.** Temper : T4/T5/T6
- **5.** Surface Treatment: Anodized, Powder Coating, Electrophoresis, Wooden-pattern transfer, Thermal-break, Sandblasting, mechanical polishing, etc;
- 6. Color: Any color as per customer demand;
- 7. Packing: with foam and film in bales.

Surface treatment

	Mill-finish,Anodized,Powder coated,Electropheresis,Wood grain,Brushed, Polishing
Anodized thickness	8 - 25um
Anodized Color	Silver,black,chanpagne,bronze,gold or customized
Electropheresis Color	Silver,black,chanpagne,bronze,gold or customized
Powder coated Color	All color by RAL ,or customer's color sample
Powder coated thickness	60- 120um
Wood grain	customized
Guarantee	surface Brightly can be stable for 10 - 20years

Applications:

Industry Aluminum profile used in cars, trains machinery, electronics, medical and other industrial filed. In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

Specifications:

1.Primary Technical Data

1)Chemical composition

/										
Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2)Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
0000	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

Competitive Advantage:

- Engineering design and support.
 Aluminium profiles deeply processing:cutting,punching,drilling,milling,and fabricating.
 High Quality system, strictly inspection during production and whole inspection before package.
 Good performance, product warranty for 15 years.



→ HENTEC Hentec Industry Co.,Ltd



+86-13861643436



aluminum@hentec.com.cn



@ aluminumextrusion-profiles.com