


# **Basic Information**

. Place of Origin: China • Brand Name: HTS-025 Certification: SGS Minimum Order Quantity:

Packaging Details: Ep paper ,kraft ,pallet

• Delivery Time: 20days • Payment Terms: T/T ,L/C

• Supply Ability: 100 000ton each month



# **Product Specification**

• Highlight: modular aluminium profile system, custom aluminum extrusions

# **Product Description**

#### 6063-T5 Anodized Industrial Aluminium Profile Assembly line


- 1. Alloy:6063,6061,6005 or according to customer's choice
- 2. Temper: T4, T5, T6 ,T66
- 3. Suface Treatment: Mill Finished, Anodized , Electrophoretic coated, Powder spray coated, Fluorocarbon powder spray coated /PVDF Paint, Drawbench, Steel polished, Wood grain coated /Wooden transfer .
- 4. Deep process: Milling, Drilling, Bending, Cutting.
- 5. Application:

trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators

6. Color:clear, satin, bronze, black, golden, silver, other multicolor

#### Description:

Item	6063-T5 Anodized Industrial Aluminium Profile , Assembly line						
Material	Alloy 6063, 6061 or according to customer's choice						
Temper	T3, T4, T5, T6						
Surface	Anodize (clear, satin, bronze, black, golden, silver, other multicolor), electrophoresis, powder coating, PVDF coating, wood grain painting, etc.						
MOQ	1 ton. Usually 12 tons for a 20 feet container; 24 tons for a 40 feet container.						
Usage	Widely used in the instruction and electronic areas						
Machining	High-precision machining available upon request (lathe/milling/CNC machining/polishing/punching/drilling/taping, etc.)						
Moulding	1. Using our moulds, free; 2. Using customer's drawing, opening mould fee need to be paid .						
Certificate	ISO14001:2004, ISO9001:2000						
FOB Port	Shanghai, etc.						



#### Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed. In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

## Specifications:

## 1.Primary Technical Data

#### 1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

#### 2)Mechanical property

				_
Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	Т6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	Т6	≥ 265Mpa	≥ 245Mpa	≥ 8%

## Competitive Advantage:

- 1) Engineering design and support.
- 2) Aluminium profiles deeply processing: cutting, punching, drilling, milling, and fabricating.
- 3) High Quality system, strictly inspection during production and whole inspection before package.
- 4)Good performance, product warranty for 15 years.



# **♣HENTEC** Hentec Industry Co.,Ltd



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421