Hentec Industry Co., Ltd aluminumextrusion-profiles.com

CNC Machining Extruded Aluminum Case With Drilling / Milling / Tapping

Basic Information

Place of Origin: ChinaBrand Name: HentecMinimum Order Quantity: 500KG

Packaging Details: wooden case, pallet

• Delivery Time: 20days



Product Specification

Material: Aluminum

• Alloy: 6063/6061/6060/6005

• Temper: T4/T5/T6

Surface: Powder Coating
Logo: Silk Screen
Watper Proof: Water Proof

• Highlight: aluminum electrical enclosures,

extruded aluminum enclosure boxes

Product Description

CNC Machining Aluminum Electrical Shell, With Drilling, Milling, Tapping

1.Alloy:6063,6061,6005 or according to customer's choice

2.Material:Aluminum

3.Suface Treatment: Mill Finished, Anodized , Electrophoretic coated, Powder spray coated, Fluorocarbon powder spray coated

4. Deep process: Milling, Drilling, Bending, Cutting.

5.Temper: T4, T5, T6, T66

Products Details

| Aluminium Products | Details |
|---------------------|--|
| Material | Alu alloy 6000 series, 6005 6060 6061 6063 |
| Temper | T5 or T6 |
| MOQ | 1 ton |
| Price Term | FOB, CIF, EXW etc |
| Port | Shanghai, China |
| Size | Can be customized |
| Shape | Round, oval, square or be designed. |
| Color | Black, golden, champagne, light green etc |
| Surface Treatment | Silver Anodized, powder coating, mill finished etc |
| Standard | GB/T5237-2000 & GB/T6892-2006, China standard |
| Certification | ISO9001-2008 & ISO14001-2004 & ROHS |
| Packing | Usually EP film inside, plastic film or carton outside |
| Delivery Time | Usually within 10-20 working days after receiving 30% advanced payment |
| Production Capacity | 150 tons per day |
| Application | Widely used in construction, decoration, and varied industry fields |
| Deep Processing | Extrude, precious cut, punch, drill, mill, tap, rivet etc |
| | |

. Production Lines

| Production Lines | Name | Qty | Max Product Length |
|-------------------------|----------------------------|-----|--------------------|
| | 600 ton extruder | 5 | |
| | 800 ton extruder | 2 | |
| E to Pro Disc. | 1000 ton extruder | 1 | |
| Extruding Lines | 1250 ton extruder | 1 | |
| | 1800 ton extruder | 2 | |
| | 4500 ton extruder | 2 | |
| | Anodizing | 2 | ≤6.5 m |
| | Powder coating | 2 | ≤13 m |
| Surface Treatment Lines | Electrophoresis | 1 | ≤6.5 m |
| | Wooden transfer | 1 | ≤6.5 m |
| | Hot insulation cold bridge | 1 | ≤6.5 m |
| | Cutting machine | 3 | |
| | Punching machine | 5 | |
| | Milling machine | 3 | |
| Deep Processing Lines | CNC machine | 4 | |
| Joop 1 100000mg Emoc | Polishing machine | 1 | |
| | Tapping machine | 5 | |
| | Riveting machine | 1 | |

Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.



Specifications:

1.Primary Technical Data

1)Chemical composition

| Alloy | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | Impurity | Al |
|-------|---------|---------|----------|------|----------|-----------|------|------|----------|------|
| 6063 | 0.2-0.6 | 0.35 | 0.1 | 0.1 | 0.45-0.9 | 0.1 | 0.1 | 0.1 | 0.15 | Rest |
| 6061 | 0.4-0.8 | 0.7 | 0.15-0.4 | 0.15 | 0.8-1.2 | 0.04-0.35 | 0.25 | 0.15 | 0.15 | Rest |
| 6060 | 0.3-0.6 | 0.1-0.3 | 0.1 | 0.1 | 0.35-0.6 | - | 0.15 | 0.1 | 0.15 | Rest |
| 6005 | 0.6-0.9 | 0.35 | 0.1 | 0.1 | 0.40-0.6 | 0.1 | 0.1 | 0.1 | 0.15 | Rest |

2) Mechanical property

| / F -F | | | | | | | | |
|--------|--------|---------------------|----------------|------------|--|--|--|--|
| Alloy | Temper | Tensile strength | Yield strength | Elongation | | | | |
| 6063 | T5 | ≥ 160Mpa | ≥ 110Mpa | ≥ 8% | | | | |
| | T6 | ≥ 205Mpa | ≥ 180Mpa | ≥ 8% | | | | |
| 6061 | T6 | ≥ 265Mpa | ≥ 245Mpa | ≥ 8% | | | | |

2.Specifications:

Excellent material for smooth and subtle edges.

Elegant appearance.

Surface treatment: colorful anodized or electrostatic powder coated.

Suitable for constructions and other industrial purposes.

Customized surface finishes are welcome.

Competitive Advantage:

- 1)Engineering design and support. 2)Aluminum profiles deeply processing:cutting,punching,drilling,milling,and fabricating.
- 3)High Quality system, strictly inspection during production and whole inspection before package. 4)Good performance, product warranty for 15 years.



⇒HENTEC Hentec Industry Co.,Ltd



+86-13861643436





aluminum@hentec.com.cn aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421