




T4 6060 Standard Aluminium Extrusion Profiles With CNC Machining

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: HT
- Certification: CA ,CE
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



Product Specification

- Product Name: Aluminum Heatsink Extrusion Profiles
- Alloy: 6063,6061,6005
- Material: Aluminum
- Surface Treatment: Mill Finished,Anodized ,Electrophoretic Coated,Powder Spray Coated
- Deep Process: Milling, Drilling, Bending,Cutting
- Temper: T4, T5, T6 ,T66
- Highlight: **heatsink extrusion profiles,
aluminium extrusion heat sink profiles**

Product Description

Description:

Hentec Industry is dedicated to the development, manufacture and marketing of high-performance aluminum extrusion profiles. We pride ourselves on rapid sampling, flexible production methodologies and world-class technical support to our customers. We have significant experience in the thermal management arena and look forward to working with our customers, wherever they are in the world, and however demanding their needs are. And now, our products have been sold in more than 1000 global customers.

Item	6060 Aluminum Heat Sink , With CNC Machining , Bending , Polishing
Surface Treatment	Polishing, Powder coating, Spraying, Anodising, Zinc Plating and etc
Tolerance	+/-0.02~0.05mm
Equipments	a) CNC Machining Center b) Extrusion Machine c) CNC Milling Machines d) Punching Machines e) Precision Cutting Machines f) Argon Welding Machines g) NC Bending Machine h) Anodized /Powder painted line
Preferred Formats	JPEG, PDF,CAD,IGS,STP
Preferred Industries	a) Communication Equipments b) Medical Equipments c) House Hardware d) Toy Air soft e) Mechanical Equipments f) Other customized Parts

Applications:

Aluminum heat sink is widely used on Machines , cars , lighter ...

Specifications:

1. Primary Technical Data

1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%



Hentec Industry Co.,Ltd


Competitive Advantage:

We can offer professional Manufacturing and exporting service, OEM/ODM for Metal & Plastic parts in China. All the parts manufactured by CNC Lathe & Milling Machine Center.



Tag :
extruded aluminum heat sink
aluminum heatsink extrusion profiles

 **HENTEC** Hentec Industry Co.,Ltd

 +86-13861643436

 aluminum@hentec.com.cn

 aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421