# 80 \* 80 Industrial Aluminium Profile System For Office Partition / **Machinery**

## **Basic Information**

. Place of Origin: China НТ . Brand Name:

CA ,CE ,ISO14001:2004, ISO9001:2000 · Certification:

HTL003 Model Number: Minimum Order Quantity: 1 ton

Ep paper ,kraft ,pallet Packaging Details:

. Delivery Time: 20days • Payment Terms: T/T ,L/C

Supply Ability: 100 000ton each month



# **Product Specification**

• Product Name: Assembly Line 6063,6061,6005 • Alloy: • Material: Aluminum

Suface Treatment: Powder Spray Coated

Milling, Drilling, Bending, Cutting • Deep Process:

• Temper: T4, T5, T6

• Highlight: modular aluminium profile system,

custom aluminum extrusions

### **Product Description**

## 30\*30 / 40\*40 / 40\*80 / 80\*80 Industrial Aluminium Profile Assembly Line For Office Partition / Machinery

#### **Aluminum Features:**

- ${\bf 1}$  ) Industrial aluminum surface after oxidation , the appearance is very beautiful, and dirt
- 2) oil is easy to clean once painted, assembled into products, depending on the load-bearing profiles of different specifications, and aluminum parts using the companion
- 3) does not require welding, more environmentally friendly, and the installation, removal, carry, move very convenient.

#### Description:

Billet	Aluminum 6000 series based on customers' request.
Temper	T5, T6
Surface treatment	mill finished, anodized, powder coating, polished, sand blasting
Various colours	Silver , gold, bronze, black, blue, grey, red, champagne etc
Machining	Cutting, punching, drilling, milling, bending, welding, CNC etc
Length	6 meters or customized
Sizes	all kinds based on your needs
Application	decoration, building or construction
Moulding	open new mould about 7 days
Samples	Free all the time
Price	We have our own factory so that we offer the more competitive price
quality	Toppest steel raw materials, skilled workers to provide good quality products
Main Markets	North America,Easten Europe,Mid East,Westen Europe,South Asia,Australia&New Zealand

- 1. Alloy:6063,6061,6005 or according to customer's choice
- 2. Material:Aluminum
- 3. Suface Treatment: Mill Finished, Anodized , Electrophoretic coated, Powder spray coated, Fluorocarbon powder spray coated /PVDF Paint, Drawbench, Steel polished, Wood grain coated /Wooden transfer.
- 4. Deep process: Milling, Drilling, Bending, Cutting.
- 5. Application:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed. In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

- 6. Color:clear, satin, bronze, black, golden, silver, other multicolor
- 7. Temper: T4, T5, T6 ,T66

### Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed. In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

### Specifications:

### 1. Primary Technical Data

### 1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	AI
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

### 2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%

6063	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

公司图号	黄茵	线密度 kg/m
HT-745	40	1.292
HT-746	30	0.786
HT-747	50 50 50 50 50 50 50 50 50 50 50 50 50 5	2.524
HT-749	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.464
HT-750	7.2 40 6.2	0.808
HT-751	60 8.2 10.4	1.616

公司图号	黄素	线密度 kg/m
HT-752	40 67 84 700 8.2	1.646
HT-753	80 9 9 8.2 10.2	2.952
HT-754	45 27 27 27 27 27 27 27 27 27 27 27 27 27	2.015
HT-767	12.2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1.522

### Competitive Advantage:

- Engineering design and support.
  Aluminum profiles deeply processing:cutting,punching,drilling,milling,and fabricating.
  High Quality system, strictly inspection during production and whole inspection before package.
  Good performance, product warranty for 15 years.



# **⇒HENTEC** Hentec Industry Co.,Ltd

+86-13861643436



aluminum@hentec.com.cn @ aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421